

IN THE CLAIMS:

*A
B/*

1. (Currently Amended) For use in an information processing system, an apparatus for automatically classifying text-video signals comprising:

a keyframe classifier capable of segmenting the video signals into initial set of one or more story segments; and

a text classifier controller capable of reading text having at least one keyword contained within at least of the one of the story segments within said text, and capable of identifying keywords within each line of said text, and, in response to identifying at least one of said keywords within a line of text, classifying said line of text as a part of said at least one story segment within said textvideo signals.

2. (Original) The apparatus as set forth in Claim 1 wherein said text classifier controller is capable of sequentially comparing first and second lines of text to compare the number of keywords detected for each first line of text with the number of keywords detected for each second line of text, and capable of identifying a keyword transition point between two adjacent portions of text where the number of keywords detected in a keyword category for each line of text prior to said keyword transition point decreases below a threshold number.

3. (Original) The apparatus as set forth in Claim 2 wherein said text classifier controller is capable of classifying text between the beginning of the text and a first

AT
BT

keyword transition point as one story segment of the text when said text classifier controller identifies a first keyword transition point.

4. (Original) The apparatus as set forth in Claim 2 wherein said text classifier controller is capable of classifying text between a first keyword transition point and a second keyword transition point as one story segment of the text when said text classifier controller identifies a first keyword transition point and a second keyword transition point.

5. (Original) The apparatus as set forth in Claim 1 wherein said text classifier controller is capable of sequentially comparing first and second lines of text to compare the number of keywords detected for each first line of text with the number of keywords detected for each second line of text, and capable of identifying a keyword transition point between two adjacent portions of text where the number of keywords detected in a keyword category for each line of text prior to said keyword transition point increases above a threshold number.

6. (Original) The apparatus as set forth in Claim 1 wherein said text classifier controller comprises an algorithm for reading lines of text to identify keywords contained within said lines of text, wherein said algorithm classifies each line of text in a keyword category that has the largest number of keywords in said line of text.

A
B
7. (Currently Amended) An information processing system of the type comprising:

a video story segmentation device;

a keyword library; and

a classification device,

wherein said information processing system includes a text classifier controller capable of reading text having at least one keyword contained within at least one story segment within said text, and capable of identifying keywords within each line of said text, and, in response to identifying at least one of said keywords within a line of text, classifying said line of text as a part of said at least one story segment within said text.

8. (Original) An information processing system as set forth in Claim 7 wherein said text classifier controller is capable of sequentially comparing first and second lines of text to compare the number of keywords detected for each first line of text with the number of keywords detected for each second line of text, and capable of identifying a keyword transition point between two adjacent portions of text where the number of keywords detected in a keyword category for each line of text prior to said keyword transition point decreases below a threshold number.

9. (Original) An information processing system as set forth in Claim 8 wherein said text classifier controller is capable of classifying text between the beginning of the text and a first keyword transition point as one story segment of the text when said text classifier controller identifies a first keyword transition point.

A
B |

10. (Original) An information processing system as set forth in Claim 8 wherein said text classifier controller is capable of classifying text between a first keyword transition point and a second keyword transition point as one story segment of the text when said text classifier controller identifies a first keyword transition point and a second keyword transition point.

11. (Original) An information processing system as set forth in Claim 7 wherein said text classifier controller is capable of sequentially comparing first and second lines of text to compare the number of keywords detected for each first line of text with the number of keywords detected for each second line of text, and capable of identifying a keyword transition point between two adjacent portions of text where the number of keywords detected in a keyword category for each line of text prior to said keyword transition point increases above a threshold number.

12. (Original) An information processing system as set forth in Claim 7 wherein said text classifier controller comprises an algorithm for reading lines of text to identify keywords contained within said lines of text, wherein said algorithm classifies each line of text in a keyword category that has the largest number of keywords in said line of text.

A/
B/

13. (Currently Amended) For use in an information processing system, a method of automatically classifying text audio and visual signals comprising the steps of:

initially segmenting the audio and visual signals based upon keyframe identification into one or more story segments;

reading text having at least one keyword contained within at least one story segment within said text;

identifying keywords within each line of said text; and

in response to identifying at least one of said keywords within a line of text, classifying said line of text as a part of said at least one story segment within said text.

14. (Original) The method as set forth in Claim 13 further comprising the steps of:

sequentially comparing first and second lines of text to compare the number of keywords detected for each first line of text with the number of keywords detected for each second line of text; and

identifying a keyword transition point between two adjacent portions of text where the number of keywords detected in a keyword category for each line of text prior to said keyword transition point decreases below a threshold number.

A
B
15. (Original) The method as set forth in Claim 14 further comprising the step of:

classifying text between the beginning of the text and a first keyword transition point as one story segment of the text when said text classifier controller identifies a first keyword transition point.

16. (Original) The method as set forth in Claim 14 further comprising the step of:

classifying text between a first keyword transition point and a second keyword transition point as one story segment of the text when said text classifier controller identifies a first keyword transition point and a second keyword transition point.

17. (Original) The method as set forth in Claim 13 further comprising the steps of:

sequentially comparing first and second lines of text to compare the number of keywords detected for each first line of text with the number of keywords detected for each second line of text; and

identifying a keyword transition point between two adjacent portions of text where the number of keywords detected in a keyword category for each line of text prior to said keyword transition point increases above a threshold number.

A
B
18. (Original) The method as set forth in Claim 13 further comprising the steps of:

sequentially comparing first and second lines of text to compare the number of keywords detected for each first line of text with the number of keywords detected for each second line of text; and

identifying a plurality of keyword transition points in said text between adjacent portions of text where the number of keywords detected in a keyword category for each line of text prior to each of said keyword transition points decreases below a threshold number; and

classifying the text between each two adjacent keyword transition points of said plurality of keyword transition points as a story segment of the text.

19. (Currently Amended) For use in a computerized information processing system, computer-executable instructions stored on a computer-readable storage medium for automatically classifying text, the computer-executable instructions comprising the steps of:

initially segmenting the video into one or more story segments based upon keyframes;

reading text having at least one keyword contained within at least one story segment ~~within said text~~;

identifying keywords within each line of said text; and

A
B | in response to identifying at least one of said keywords within a line of text, classifying said line of text as a part of said at least one story segment-within said text.

20. (Original) The computer-executable instructions stored on a computer-readable storage medium as set forth in Claim 19, the computer-executable instructions further comprising the steps of:

sequentially comparing first and second lines of text to compare the number of keywords detected for each first line of text with the number of keywords detected for each second line of text; and

identifying a keyword transition point between two adjacent portions of text where the number of keywords detected in a keyword category for each line of text prior to said keyword transition point decreases below a threshold number.

21. (Original) The computer-executable instructions stored on a computer-readable storage medium as set forth in Claim 20, the computer-executable instructions further comprising the step of:

classifying text between the beginning of the text and a first keyword transition point as one story segment of the text when said text classifier controller identifies a first keyword transition point.

AT
BI

22. (Original) The computer-executable instructions stored on a computer-readable storage medium as set forth in Claim 20, the computer-executable instructions further comprising the step of:

classifying text between a first keyword transition point and a second keyword transition point as one story segment of the text when said text classifier controller identifies a first keyword transition point and a second keyword transition point.

23. (Original) The computer-executable instructions stored on a computer-readable storage medium as set forth in Claim 19, the computer-executable instructions further comprising the step of:

sequentially comparing first and second lines of text to compare the number of keywords detected for each first line of text with the number of keywords detected for each second line of text; and

identifying a keyword transition point between two adjacent portions of text where the number of keywords detected in a keyword category for each line of text prior to said keyword transition point increases above a threshold number.

A
b1
24. (Original) The computer-executable instructions stored on a computer-readable storage medium as set forth in Claim 19, the computer-executable instructions further comprising the steps of:

sequentially comparing first and second lines of text to compare the number of keywords detected for each first line of text with the number of keywords detected for each second line of text; and

identifying a plurality of keyword transition points in said text between adjacent portions of text where the number of keywords detected in a keyword category for each line of text prior to each of said keyword transition points decreases below a threshold number; and

classifying the text between each two adjacent keyword transition points of said plurality of keyword transition points as a story segment of the text.
